

1136 RBI



EN 14439-C25
2000/14/CE



Simple setup



FM-Link



Power Control



ASsys




ACsys

1136 RBI

Funzionamento e trasporto

Operation and transport - Betrieb und transport - Exploitation et transport - Accionamiento y transporte



Pesi e reazioni

Weights and reactions - Gewichte und Reaktionen - Poids et réactions - Pesos y reacciones

- Reazioni in servizio
Reactions in service
Reaktionskräfte in Betrieb
Réactions en service
Reacciones en servicio
- Reazioni fuori servizio
Reactions out of service
Reaktionskräfte außer Betrieb
Réactions hors service
Reacciones fuera de servicio

7 x 2400 kg	14 x 1250 kg
2 x 1300 kg	2 x 1300 kg
2 x 2200 kg	2 x 2200 kg
Tot = 23800 kg	Tot = 24500 kg





Diagramma di portate

Load diagram - Lastkurven - Courbes de charges - Curvas de cargas

 **5°**

		m	3	12	14	16	18	20	22	24	26	27	28	30	32	34	36		
																			
36.0 m	2500 kg - 19.2 m	kg	2500					2220	1980	1780	1620	1560	1490	1370	1270	1180	1100		
32.0 m	2500 kg - 21.2 m	kg	2500						2170	1960	1790	1720	1640	1510	1400				
27.0 m	2500 kg - 19.3 m	kg	2500					2280	2040	1840	1670	1600							
14.0 m	2500 kg - 14.0 m	kg	2500																
																			
36.0 m	4000 kg - 12.0 m	kg	4000	3300	2790	2410	2120	1880	1690	1520	1460	1390	1270	1170	1080	1000			
32.0 m	4000 kg - 12.9 m	kg	4000	3630	3080	2660	2340	2080	1860	1690	1620	1540	1410	1300					
27.0 m	4000 kg - 12.3 m	kg	4000	3400	2880	2490	2180	1940	1740	1570	1500								
14.0 m	4000 kg - 14.0 m	kg	4000																

		m	3	12	14	16	18	20	22	24	26	27	28	30	32	34	36	
																		
36.0 m	3000 kg - 15.5 m	kg	3000			2890	2510	2220	1980	1780	1620	1560	1490	1370	1270	1180	1100	
32.0 m	3000 kg - 16.8 m	kg	3000				2760	2430	2170	1960	1790	1720	1640	1510	1400			
27.0 m	3000 kg - 15.9 m	kg	3000			2970	2580	2280	2040	1840	1670	1600						
14.0 m	3000 kg - 14.0 m	kg	3000															

 **12°**

		m	3	35
35.0 m	1000 kg - 35 m	kg	1000	







 **20°**

		m	3	34
34.0 m	750 kg - 34 m	kg	750	

1136 RBI



Trasporto


Transport - Transport - Transport - Transporte



Meccanismi

Mechanisms - Antriebe - mécanismes - Mecanismos

	V15.45 11 kW		m/min	4	21	46	52	
			t	2.5	2.5	1.1	0.9	
			m/min	2	10.5	23	26	
			t	4.0	4.0	2.0	1.8	
	V15.35 11 kW		m/min	6	17	25	35	
			t	3.0	3.0	2.0	0.7	
			m/min	3	8.5	12.5	17.5	
			t	4.0	4.0	3.0	1.4	

	0 <-> 45 m/min 3 kW
--	------------------------


	0 <-> 0.8 rpm 2.2 kW
--	-------------------------

	400 V - 50 Hz	
	V15.35	20 kVA 
	V15.45	20 kVA 

1136 RBI

Montaggio

Erection- Montage - Montage - Montaje



	IT	EN	DE	FR	ES
	Sollevamento	Hoisting	Heben	Levage	Elevación
	Traslazione carrello	Trolleying	Katzfahren	Distribution	Distribución
	Rotazione	Slewing	Schwenken	Orientation	Orientació
Ht	Altezza torre	Tower height	Höhe des Turms	Hauteur de la tour	Altura de torre
Hg	Altezza sotto gancio	Under hook height	Höchste Hakenhöhe	Hauteur maxi. sous crochet	Maxima altura bajo gancho
	Braccio	Jib	Ausleger	Flèche	Pluma
	Alimentazione	Power supply	Stromversorgung	Alimentation	Alimentación
	Trasporto	Transport	Transport	Transport	Transporte
	Peso	Weight	Gewicht	Poids	Peso



Documento commerciale non contrattuale. Per tutte le informazioni tecniche riferirsi alle corrispondenti istruzioni.

This commercial document is not legally binding. For any technical information, please refer to the corresponding instructions.

Unverbindliches Vertriebsdokument. Für technische Informationen, siehe die entsprechenden Anweisungen.

Ce document commercial n'est pas juridiquement contraignant. Pour toute information technique, veuillez vous référer aux instructions correspondantes.

Documento commercial no contractual. Para cualquier información técnica, ver la noticia correspondiente.